Appl. No. 10/008,536

Amdt. dated February 18, 2005

Reply to Office Action of January 21, 2005

F:\MM DOCS\1-PAT\PAT 2001\APP\1022-01 Ultimate Umbrella\1022 Amendment responding to OA only.doc

REMARKS/ARGUMENTS

This amendment is submitted in full response to the "NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION" dated January 21, 2005. Accordingly, Applicant has amended the specification on page 9 line 2 to include a description of Figure 17 in the "Brief Description of the Drawings" portion of the specification as required by the Examiner and in compliance with proper U. S. Patent Office procedure.

Applicant acknowledges receipt of the NOTICE OF ALLOWANCE AND ISSUE FEE DUE dated December 20, 2004 in this application. In response, Applicant will subsequently submit payment of the required issue fee and formal drawings of Figures 1 through 17 as originally filed and amended, in a timely manner, under the provisions of Rule 312.

Respectfully submitted,

MALLOY & MALLOY, P.A. Attorneys for Applicant 2800 S.W. Third Avenue Historic Coral Way Miami, Florida 33129 (305) 858-8000

y:_____

Jennie S. Malloy Reg. No. 37,670

Dated: 2-18-05